

## SUPPLEMENTARY MATERIALS

**Table SM1.** Raw data used in the meta-analysis. Pollutants: OE = organic enrichment, OL = oil, HM = heavy metals. C = control (less polluted site), T = treatment site. SD = standard deviation, N = sample size. Magnitude = pollutant magnitude, computed as the quotient between the pollutant load of treatment (site with more amount of pollutant) and the pollutant load of control (site with least amount of pollutant).

Pollutant	Magnitude	Taxon	Mean(T)	Mean(C)	SD(T)	SD(C)	N(T)	N(C)
OE <sub>[1]</sub>	3.23	Copepods	44	260	47.7	228.32	3	3
OE <sub>[1]</sub>	9.61	Copepods	44	260	47.7	228.32	3	3
OE <sub>[1]</sub>	4.55	Copepods	44	260	47.7	228.32	3	3
OE <sub>[1]</sub>	48.2	Copepods	44	260	47.7	228.32	3	3
OE <sub>[1]</sub>	2.02	Copepods	274	260	241	228.32	3	3
OE <sub>[1]</sub>	4.03	Copepods	274	260	241	228.32	3	3
OE <sub>[1]</sub>	1.6	Copepods	274	260	241	228.32	3	3
OE <sub>[1]</sub>	9.46	Copepods	274	260	241	228.32	3	3
OE <sub>[1]</sub>	3.23	Nematodes	393	1057.33	361.01	857.39	3	3
OE <sub>[1]</sub>	9.61	Nematodes	393	1057.33	361.01	857.39	3	3
OE <sub>[1]</sub>	4.55	Nematodes	393	1057.33	361.01	857.39	3	3
OE <sub>[1]</sub>	48.2	Nematodes	393	1057.33	361.01	857.39	3	3
OE <sub>[1]</sub>	2.02	Nematodes	1056.67	1057.33	808.52	857.39	3	3
OE <sub>[1]</sub>	4.03	Nematodes	1056.67	1057.33	808.52	857.39	3	3
OE <sub>[1]</sub>	1.6	Nematodes	1056.67	1057.33	808.52	857.39	3	3
OE <sub>[1]</sub>	9.46	Nematodes	1056.67	1057.33	808.52	857.39	3	3
OE <sub>[2]</sub>	7.2	Copepods	46.15	16.41	21.32	5.31	3	3
OE <sub>[2]</sub>	1.12	Copepods	21.53	8.2	37.3	3.55	3	3
OE <sub>[2]</sub>	1.51	Copepods	46.15	16.41	21.32	5.31	3	3
OE <sub>[2]</sub>	1.37	Copepods	21.53	8.2	37.3	3.55	3	3
OE <sub>[2]</sub>	1.09	Copepods	108.71	48.2	71.06	21.32	3	3
OE <sub>[2]</sub>	1.45	Copepods	67.69	12.3	37.39	10.66	3	3
OE <sub>[2]</sub>	0.23	Copepods	108.71	48.2	71.06	21.32	3	3
OE <sub>[2]</sub>	0.48	Copepods	12.3	67.69	10.66	37.38	3	3
OE <sub>[2]</sub>	7.2	Nematodes	74.62	29.85	38.78	12.92	3	3
OE <sub>[2]</sub>	1.12	Nematodes	44.77	22.38	51.7	44.41	3	3
OE <sub>[2]</sub>	1.51	Nematodes	74.62	29.85	38.78	12.95	3	3
OE <sub>[2]</sub>	1.37	Nematodes	44.77	22.38	51.7	44.41	3	3
OE <sub>[2]</sub>	1.09	Nematodes	261.19	194.03	142.18	129.21	3	3
OE <sub>[2]</sub>	1.45	Nematodes	485.07	119.4	169.04	38.78	3	3
OE <sub>[2]</sub>	0.23	Nematodes	261.19	194.03	142.18	129.24	3	3
OE <sub>[2]</sub>	0.48	Nematodes	119.4	485.07	38.78	169.04	3	3
OE <sub>[3]</sub>	1.85	Copepods	235.3	227.94	85.71	166.5	6	7
OE <sub>[3]</sub>	1.18	Copepods	395.6	227.94	293.07	166.5	6	7
OE <sub>[3]</sub>	1.85	Nematodes	4030	827.43	2201.74	451.87	6	7
OE <sub>[3]</sub>	1.18	Nematodes	10890.17	827.43	2438.26	451.87	6	7
OE <sub>[4]</sub>	1.27	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	1.13	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	1.3	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.3	Copepods	270	191	96.99	83.14	3	3
OE <sub>[4]</sub>	1.35	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	1.25	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	1.25	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.04	Copepods	270	191	96.99	83.14	3	3
OE <sub>[4]</sub>	4.2	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	2.25	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	4.33	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.69	Copepods	270	191	96.99	83.14	3	3
OE <sub>[4]</sub>	1.52	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	1.44	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	1.5	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.04	Copepods	270	191	96.99	83.14	3	3
OE <sub>[4]</sub>	1.95	Copepods	42	2	57.16	3.46	3	3

OE <sub>[4]</sub>	4.49	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	6.48	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	2.42	Copepods	191	270	83.14	96.99	3	3
OE <sub>[4]</sub>	9.86	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	99.54	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	55.71	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	11.77	Copepods	191	270	83.14	96.99	3	3
OE <sub>[4]</sub>	1.32	Copepods	2	42	3.46	57.16	3	3
OE <sub>[4]</sub>	4.77	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	1.58	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.49	Copepods	191	270	83.14	96.99	3	3
OE <sub>[4]</sub>	5.46	Copepods	42	2	57.16	3.46	3	3
OE <sub>[4]</sub>	8.98	Copepods	177	60	159.35	53.69	3	3
OE <sub>[4]</sub>	3.08	Copepods	224	260	109.12	346.41	3	3
OE <sub>[4]</sub>	1.27	Copepods	191	270	83.14	96.99	3	3
OE <sub>[4]</sub>	1.27	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	1.13	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	1.3	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.3	Nematodes	11650	37170	2078.46	23625.17	3	3
OE <sub>[4]</sub>	1.35	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	1.25	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	1.25	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.04	Nematodes	11650	37170	2078.46	23625.17	3	3
OE <sub>[4]</sub>	4.2	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	2.25	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	4.33	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.69	Nematodes	11650	37170	2078.46	23625.17	3	3
OE <sub>[4]</sub>	1.52	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	1.44	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	1.5	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.04	Nematodes	11650	37170	2078.46	23625.17	3	3
OE <sub>[4]</sub>	1.95	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	4.49	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	6.48	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	2.42	Nematodes	37170	11650	23625.17	2078.46	3	3
OE <sub>[4]</sub>	9.86	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	99.54	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	55.71	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	11.77	Nematodes	37170	11650	23625.17	2078.46	3	3
OE <sub>[4]</sub>	1.32	Nematodes	1540	20260	744.78	9768.77	3	3
OE <sub>[4]</sub>	4.77	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	1.58	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.49	Nematodes	37170	11650	23625.17	2078.46	3	3
OE <sub>[4]</sub>	5.46	Nematodes	20260	1540	9768.77	744.78	3	3
OE <sub>[4]</sub>	8.98	Nematodes	31470	3825	18480.98	1974.54	3	3
OE <sub>[4]</sub>	3.08	Nematodes	36790	5080	9318.43	1662.77	3	3
OE <sub>[4]</sub>	1.27	Nematodes	37170	11650	23625.17	2078.46	3	3
OE <sub>[5]</sub>	1.52	Copepods	15	23	25.98	39.84	3	3
OE <sub>[5]</sub>	2.39	Copepods	3071	2361	5319.13	2166.8	3	3
OE <sub>[5]</sub>	1.09	Copepods	139	1111	79.67	1764.96	3	3
OE <sub>[5]</sub>	1.96	Copepods	278	23	202.65	39.84	3	3
OE <sub>[5]</sub>	7.5	Copepods	23	15	39.84	25.98	3	3
OE <sub>[5]</sub>	7.5	Copepods	2361	3071	2166.8	5319.13	3	3
OE <sub>[5]</sub>	13	Copepods	1111	139	1764.96	79.67	3	3
OE <sub>[5]</sub>	6.6	Copepods	278	23	202.65	39.84	3	3
OE <sub>[5]</sub>	1.52	Nematodes	355	1273	116.05	1564.04	3	3
OE <sub>[5]</sub>	1.2	Nematodes	52037	540	12429.2	187.06	3	3
OE <sub>[5]</sub>	2.39	Nematodes	5756	12809	2965.27	9888.28	3	3
OE <sub>[5]</sub>	1.09	Nematodes	1019	5000	79.67	7056.37	3	3
OE <sub>[5]</sub>	1.96	Nematodes	3534	26690	3571.49	9422.36	3	3
OE <sub>[5]</sub>	7.5	Nematodes	1273	355	1564.04	116.05	3	3
OE <sub>[5]</sub>	54	Nematodes	540	52037	187.06	12429.2	3	3
OE <sub>[5]</sub>	7.5	Nematodes	12809	5756	9888.28	2965.27	3	3
OE <sub>[5]</sub>	13	Nematodes	5000	1019	7056.37	79.67	3	3

OE <sub>[5]</sub>	6.6	Nematodes	3534	26690	3571.49	9422.36	3	3
OE <sub>[6]</sub>	32.9	Copepods	160.2	123	74.5	69.2	4	4
OE <sub>[6]</sub>	1.79	Copepods	55.4	209.4	24.3	44.9	4	4
OE <sub>[6]</sub>	16.32	Copepods	267.4	122.3	215.6	40.8	4	4
OE <sub>[6]</sub>	2.47	Copepods	122.3	167.1	40.8	50.7	4	4
OE <sub>[6]</sub>	4.03	Copepods	55.4	123	24.3	69.2	4	4
OE <sub>[6]</sub>	6.99	Copepods	228.1	123	117.5	69.2	4	4
OE <sub>[6]</sub>	22.05	Copepods	533.3	123	199.1	69.2	4	4
OE <sub>[6]</sub>	6.48	Copepods	209.4	123	44.9	69.2	4	4
OE <sub>[6]</sub>	3.84	Copepods	174.5	123	23.7	69.2	4	4
OE <sub>[6]</sub>	1.1	Copepods	228.1	209.4	117.5	44.9	4	4
OE <sub>[6]</sub>	1.13	Copepods	160.2	209.4	74.5	44.9	4	4
OE <sub>[6]</sub>	1.09	Copepods	533.3	209.4	199.1	44.9	4	4
OE <sub>[6]</sub>	1.2	Copepods	123	209.4	69.2	44.9	4	4
OE <sub>[6]</sub>	4.08	Copepods	337.9	122.3	143.4	40.8	4	4
OE <sub>[6]</sub>	8.8	Copepods	256	122.3	111.7	40.8	4	4
OE <sub>[6]</sub>	5.19	Copepods	560.9	122.3	138.6	40.8	4	4
OE <sub>[6]</sub>	2.4	Copepods	591.4	122.3	70	40.8	4	4
OE <sub>[6]</sub>	1.23	Copepods	364	122.3	112.3	40.8	4	4
OE <sub>[6]</sub>	1.58	Copepods	167.1	122.3	50.7	40.8	4	4
OE <sub>[6]</sub>	1.46	Copepods	337.9	167.1	143.4	50.7	4	4
OE <sub>[6]</sub>	1.54	Copepods	267.4	167.1	215.6	50.7	4	4
OE <sub>[6]</sub>	1.79	Copepods	256	167.1	111.7	50.7	4	4
OE <sub>[6]</sub>	1.28	Copepods	560.9	167.1	138.6	50.7	4	4
OE <sub>[6]</sub>	1.45	Copepods	591.4	167.1	70	50.7	4	4
OE <sub>[6]</sub>	1.62	Copepods	364	167.1	112.3	50.7	4	4
OE <sub>[6]</sub>	32.9	Nematodes	3041.2	1186.7	462.6	425.7	4	4
OE <sub>[6]</sub>	1.79	Nematodes	591.7	1128	93.4	30.6	4	4
OE <sub>[6]</sub>	16.32	Nematodes	6520.5	889.9	1178.8	175.8	4	4
OE <sub>[6]</sub>	2.47	Nematodes	889.9	1305.1	175.8	51.2	4	4
OE <sub>[6]</sub>	4.03	Nematodes	591.7	1186.7	93.4	425.7	4	4
OE <sub>[6]</sub>	6.99	Nematodes	1189.7	1186.7	208.8	425.7	4	4
OE <sub>[6]</sub>	22.05	Nematodes	946.5	1186.7	57.3	425.7	4	4
OE <sub>[6]</sub>	6.48	Nematodes	1128	1186.7	30.6	425.7	4	4
OE <sub>[6]</sub>	3.84	Nematodes	1504.1	1186.7	72.7	425.7	4	4
OE <sub>[6]</sub>	1.1	Nematodes	1189.7	1128	208.8	30.6	4	4
OE <sub>[6]</sub>	1.13	Nematodes	3041.2	1128	462.6	30.6	4	4
OE <sub>[6]</sub>	1.09	Nematodes	946.5	1128	57.3	30.6	4	4
OE <sub>[6]</sub>	1.2	Nematodes	1186.7	1128	425.7	30.6	4	4
OE <sub>[6]</sub>	4.08	Nematodes	1392.2	889.9	447.6	175.8	4	4
OE <sub>[6]</sub>	8.8	Nematodes	874.3	889.9	467.4	175.8	4	4
OE <sub>[6]</sub>	5.19	Nematodes	1642.7	889.9	563.7	175.8	4	4
OE <sub>[6]</sub>	2.4	Nematodes	1972.6	889.9	234.4	175.8	4	4
OE <sub>[6]</sub>	1.23	Nematodes	1744.1	889.9	414.6	175.8	4	4
OE <sub>[6]</sub>	1.58	Nematodes	1305.1	889.9	51.2	175.8	4	4
OE <sub>[6]</sub>	1.46	Nematodes	1392.2	1305.1	447.6	51.2	4	4
OE <sub>[6]</sub>	1.54	Nematodes	6520.5	1305.1	1178.8	51.2	4	4
OE <sub>[6]</sub>	1.79	Nematodes	874.3	1305.1	467.4	51.2	4	4
OE <sub>[6]</sub>	1.28	Nematodes	1642.7	1305.1	563.7	51.2	4	4
OE <sub>[6]</sub>	1.45	Nematodes	1972.6	1305.1	234.4	51.2	4	4
OE <sub>[6]</sub>	1.62	Nematodes	1744.1	1305.1	414.6	51.2	4	4
OE <sub>[7]</sub>	2.11	Copepods	5	4.75	3.11	5.16	2	2
OE <sub>[7]</sub>	1.28	Copepods	15.05	6.95	20.44	2.76	2	2
OE <sub>[7]</sub>	1.54	Copepods	4.75	1.4	5.16	1.13	2	2
OE <sub>[7]</sub>	1.42	Copepods	6.95	47.9	2.76	53.6	2	2
OE <sub>[7]</sub>	1.51	Copepods	5	4.75	3.11	5.16	2	2
OE <sub>[7]</sub>	1.77	Copepods	6.95	15.05	2.76	20.44	2	2
OE <sub>[7]</sub>	1.6	Copepods	5	1.4	3.11	1.13	2	2
OE <sub>[7]</sub>	1.5	Copepods	6.95	15.05	2.76	20.44	2	2
OE <sub>[7]</sub>	1.69	Copepods	1.4	4.75	1.13	5.16	2	2
OE <sub>[7]</sub>	2.08	Copepods	6.95	47.9	2.76	53.6	2	2
OE <sub>[7]</sub>	1.22	Copepods	5	1.4	3.11	1.13	2	2
OE <sub>[7]</sub>	1.61	Copepods	47.9	15.05	53.6	20.44	2	2
OE <sub>[7]</sub>	1.47	Copepods	5	1.4	3.11	1.13	2	2

OE <sub>[7]</sub>	1.11	Copepods	6.95	15.05	2.76	20.44	2	2
OE <sub>[7]</sub>	1.11	Copepods	1.4	4.75	1.13	5.16	2	2
OE <sub>[7]</sub>	1.17	Copepods	6.95	47.9	2.76	53.6	2	2
OE <sub>[7]</sub>	1.05	Copepods	5	1.4	3.11	1.13	2	2
OE <sub>[7]</sub>	1.17	Copepods	15.05	47.9	20.44	53.6	2	2
OE <sub>[7]</sub>	1.14	Copepods	1.4	4.75	1.13	5.16	2	2
OE <sub>[7]</sub>	1.29	Copepods	47.9	15.05	53.6	20.44	2	2
OE <sub>[7]</sub>	1.4	Copepods	4.75	1.4	5.16	1.13	2	2
OE <sub>[7]</sub>	1.05	Copepods	5	4.75	3.11	5.16	2	2
OE <sub>[7]</sub>	1.46	Copepods	15.05	47.9	20.44	53.6	2	2
OE <sub>[7]</sub>	1.18	Copepods	4.75	1.4	5.16	1.13	2	2
OE <sub>[7]</sub>	1.26	Copepods	6.95	15.05	2.76	20.44	2	2
OE <sub>[7]</sub>	1.15	Copepods	4.75	1.4	5.16	1.13	2	2
OE <sub>[7]</sub>	1.05	Copepods	47.9	15.05	53.6	20.44	2	2
OE <sub>[7]</sub>	2.11	Nematodes	69.65	396.4	14.21	205.2	2	2
OE <sub>[7]</sub>	1.28	Nematodes	738.5	420.35	67.32	74.46	2	2
OE <sub>[7]</sub>	1.54	Nematodes	396.4	151.85	205.2	2.75	2	2
OE <sub>[7]</sub>	1.42	Nematodes	420.35	811.45	74.46	652.02	2	2
OE <sub>[7]</sub>	1.51	Nematodes	69.65	396.4	14.21	205.2	2	2
OE <sub>[7]</sub>	1.77	Nematodes	420.35	738.5	74.46	67.32	2	2
OE <sub>[7]</sub>	1.6	Nematodes	69.65	151.85	14.21	2.75	2	2
OE <sub>[7]</sub>	1.5	Nematodes	420.35	738.5	74.46	67.32	2	2
OE <sub>[7]</sub>	1.69	Nematodes	151.85	396.4	2.75	205.2	2	2
OE <sub>[7]</sub>	2.08	Nematodes	420.35	811.45	74.46	652.02	2	2
OE <sub>[7]</sub>	1.22	Nematodes	69.65	151.85	14.21	2.75	2	2
OE <sub>[7]</sub>	1.61	Nematodes	811.45	738.5	652.02	67.32	2	2
OE <sub>[7]</sub>	1.47	Nematodes	69.65	151.85	14.21	2.75	2	2
OE <sub>[7]</sub>	1.11	Nematodes	420.35	738.5	74.46	67.32	2	2
OE <sub>[7]</sub>	1.11	Nematodes	151.85	396.4	2.75	205.2	2	2
OE <sub>[7]</sub>	1.17	Nematodes	420.35	811.45	74.46	652.02	2	2
OE <sub>[7]</sub>	1.05	Nematodes	69.65	151.85	14.21	2.75	2	2
OE <sub>[7]</sub>	1.17	Nematodes	738.5	811.45	67.32	652.02	2	2
OE <sub>[7]</sub>	1.14	Nematodes	151.85	396.4	2.75	205.2	2	2
OE <sub>[7]</sub>	1.29	Nematodes	811.45	738.5	652.02	67.32	2	2
OE <sub>[7]</sub>	1.4	Nematodes	396.4	151.85	205.2	2.75	2	2
OE <sub>[7]</sub>	1.62	Nematodes	69.65	396.4	14.21	205.2	2	2
OE <sub>[7]</sub>	1.46	Nematodes	738.5	811.45	67.32	652.02	2	2
OE <sub>[7]</sub>	1.18	Nematodes	396.4	151.85	205.2	2.75	2	2
OE <sub>[7]</sub>	1.26	Nematodes	420.35	738.5	74.46	67.32	2	2
OE <sub>[7]</sub>	1.15	Nematodes	396.4	151.85	205.2	2.75	2	2
OE <sub>[7]</sub>	1.05	Nematodes	811.45	738.5	652.02	67.32	2	2
OE <sub>[8]</sub>	1.6	Copepods	1518.15	1914.81	330.03	412.54	45	45
OE <sub>[8]</sub>	0.7	Copepods	1914.81	1518.15	412.54	330.03	45	45
OE <sub>[8]</sub>	1.6	Nematodes	3085.81	4405.94	66.01	297.03	45	45
OE <sub>[8]</sub>	0.7	Nematodes	4405.94	3085.81	297.03	66.01	45	45
OE <sub>[9]</sub>	8.96	Copepods	257.04	822.82	126.69	404.18	15	9
OE <sub>[9]</sub>	3.81	Copepods	565.14	822.82	339.55	404.18	6	9
OE <sub>[9]</sub>	2.55	Copepods	138.54	1037.39	80.58	292.59	15	9
OE <sub>[9]</sub>	1.42	Copepods	686.21	1037.39	189.6	292.59	6	9
OE <sub>[9]</sub>	1.48	Copepods	257.04	822.82	126.69	404.18	15	9
OE <sub>[9]</sub>	1.58	Copepods	565.14	822.82	339.55	404.18	6	9
OE <sub>[9]</sub>	1.25	Copepods	686.21	138.54	189.6	80.58	6	15
OE <sub>[9]</sub>	1.18	Copepods	1037.39	138.54	292.59	80.58	9	15
OE <sub>[9]</sub>	8.96	Nematodes	3085.94	2368.75	1277.32	515.54	15	9
OE <sub>[9]</sub>	3.81	Nematodes	3221.35	2368.75	900.28	515.54	6	9
OE <sub>[9]</sub>	2.55	Nematodes	2375.71	3532.98	803.35	634.03	15	9
OE <sub>[9]</sub>	1.42	Nematodes	2989.73	3532.98	1004.94	634.03	6	9
OE <sub>[9]</sub>	1.48	Nematodes	3085.94	2368.75	1277.32	515.54	15	9
OE <sub>[9]</sub>	1.58	Nematodes	3221.35	2368.75	900.28	515.54	6	9
OE <sub>[9]</sub>	1.25	Nematodes	2989.73	2375.71	1004.94	803.35	6	15
OE <sub>[9]</sub>	1.18	Nematodes	3532.98	2375.71	634.03	803.35	9	15
OE <sub>[10]</sub>	1.26	Nematodes	1052.49	1251.19	21.53	206	2	2
OE <sub>[11]</sub>	1.08	Nematodes	65.5	145.25	12.87	140.96	4	4
OE <sub>[11]</sub>	1.01	Nematodes	214.25	145.25	131.81	140.96	4	4

OE <sub>[12]</sub>	1.08	Nematodes	245.34	232.84	76.27	56.85	3	3
OE <sub>[12]</sub>	1.02	Nematodes	309.56	214	38.13	44.14	3	3
OE <sub>[12]</sub>	1.03	Nematodes	398.41	398.64	257.77	13.41	3	3
OE <sub>[12]</sub>	1.03	Nematodes	139.31	282.91	22.61	25.42	3	3
OE <sub>[12]</sub>	1.05	Nematodes	232.84	245.34	56.85	76.27	3	3
OE <sub>[12]</sub>	1.01	Nematodes	214	309.56	44.14	38.13	3	3
OE <sub>[12]</sub>	1.05	Nematodes	398.64	398.41	13.41	257.77	3	3
OE <sub>[12]</sub>	1.06	Nematodes	282.91	139.31	25.42	22.61	3	3
OE <sub>[12]</sub>	1.1	Nematodes	245.34	232.84	76.27	56.85	3	3
OE <sub>[12]</sub>	1.33	Nematodes	309.56	214	38.13	44.14	3	3
OE <sub>[12]</sub>	1.01	Nematodes	398.64	398.41	13.41	257.77	3	3
OE <sub>[12]</sub>	1.01	Nematodes	282.91	139.31	25.42	22.61	3	3
OE <sub>[13]</sub>	1.77	Nematodes	105.52	705.46	101.42	524.79	12	12
OE <sub>[13]</sub>	2.43	Nematodes	446.2	705.46	223.92	524.79	12	12
OE <sub>[13]</sub>	1.25	Nematodes	105.52	705.46	101.42	524.79	12	12
OE <sub>[13]</sub>	1.46	Nematodes	446.2	705.46	223.92	524.79	12	12
OE <sub>[13]</sub>	1.24	Nematodes	150.54	245.85	128.58	254.01	12	12
OE <sub>[13]</sub>	1.17	Nematodes	150.54	245.85	128.58	254.01	12	12
OE <sub>[13]</sub>	1.25	Nematodes	105.52	705.46	101.42	524.79	12	12
OE <sub>[13]</sub>	1.69	Nematodes	446.2	705.46	223.92	524.79	12	12
OE <sub>[13]</sub>	1.12	Nematodes	150.54	245.85	128.58	254.01	12	12
OE <sub>[14]</sub>	1.37	Nematodes	240.96	201.24	68.47	81.06	6	6
OE <sub>[14]</sub>	1.22	Nematodes	263.59	165.77	39.11	20.5	6	6
OE <sub>[14]</sub>	1.29	Nematodes	403.38	280.19	182.43	123.25	6	6
OE <sub>[14]</sub>	1.29	Nematodes	213.92	82.28	18.06	31.03	6	6
OE <sub>[14]</sub>	1.34	Nematodes	240.96	201.24	68.47	81.06	6	6
OE <sub>[14]</sub>	1.45	Nematodes	263.59	165.77	39.11	20.5	6	6
OE <sub>[14]</sub>	1.08	Nematodes	403.38	280.19	182.43	123.25	6	6
OE <sub>[14]</sub>	1.41	Nematodes	213.92	82.28	18.06	31.03	6	6
OE <sub>[14]</sub>	1.14	Nematodes	201.24	240.96	81.06	68.47	6	6
OE <sub>[14]</sub>	1.22	Nematodes	263.59	165.77	39.11	20.5	6	6
OE <sub>[14]</sub>	1.03	Nematodes	403.38	280.19	182.43	123.25	6	6
OE <sub>[14]</sub>	1.01	Nematodes	213.92	82.28	18.06	31.03	6	6
OE <sub>[15]</sub>	1.15	Nematodes	10.32	24.57	1.71	1.84	3	3
OE <sub>[15]</sub>	1.2	Nematodes	5.32	61.28	0.64	5.45	3	3
OE <sub>[15]</sub>	1.13	Nematodes	12.6	92.46	1.64	5.38	3	3
OE <sub>[15]</sub>	1.16	Nematodes	12.7	95.5	1.08	3.87	3	3
OE <sub>[15]</sub>	1.25	Nematodes	7.56	151.66	1.77	8.61	3	3
OE <sub>[15]</sub>	1.25	Nematodes	5.72	231.93	0.63	15.46	3	3
OE <sub>[16]</sub>	1.19	Copepods	53.53	167.23	58.35	109.91	24	24
OE <sub>[16]</sub>	1.19	Nematodes	626.15	1658.43	322.03	505.1	24	24
OE <sub>[17]</sub>	1.18	Nematodes	333	885	55.43	84.87	3	3
OE <sub>[18]</sub>	1.91	Copepods	233.34	186.26	97.79	26.96	6	6
OE <sub>[18]</sub>	1.74	Copepods	210.57	156.33	65.92	40.75	6	6
OE <sub>[18]</sub>	1.89	Copepods	293.21	508.88	45.38	100.24	6	6
OE <sub>[18]</sub>	1.62	Copepods	340.54	144.04	118.73	56.15	6	6
OE <sub>[18]</sub>	1.91	Nematodes	540.57	1544.52	278.96	269.99	6	6
OE <sub>[18]</sub>	1.74	Nematodes	779.29	1534.45	128.59	99.43	6	6
OE <sub>[18]</sub>	1.89	Nematodes	806.03	1332.67	99.05	234.16	6	6
OE <sub>[18]</sub>	1.62	Nematodes	585.22	2546.36	121.81	374.9	6	6
OE <sub>[19]</sub>	5.14	Nematodes	3406	813.3	1798	247.8	3	3
OE <sub>[19]</sub>	1.46	Nematodes	3406	813.3	1798	247.8	3	3
OE <sub>[19]</sub>	2.46	Nematodes	1218	583.3	200.8	261.5	3	3
OE <sub>[19]</sub>	1.37	Nematodes	583.3	1218	261.5	200.8	3	3
OE <sub>[19]</sub>	3.33	Nematodes	290.8	367.2	6.9	69	3	3
OE <sub>[19]</sub>	1.35	Nematodes	290.8	367.2	6.9	69	3	3
OE <sub>[19]</sub>	1.04	Nematodes	723.4	938.1	95	238.6	3	3
OE <sub>[19]</sub>	2.64	Nematodes	938.1	723.4	238.6	95	3	3
OE <sub>[19]</sub>	1.62	Nematodes	1467.3	2342	521.4	737.1	3	3
OE <sub>[19]</sub>	2.22	Nematodes	1467.3	2342	521.4	737.1	3	3
OE <sub>[19]</sub>	1.06	Nematodes	2084	3381	639.1	1625.3	3	3
OE <sub>[19]</sub>	1.15	Nematodes	3381	2084	1625.3	639.1	3	3
OE <sub>[20]</sub>	1.6	Copepods	83	74	76.37	84.85	18	18
OE <sub>[20]</sub>	1.6	Nematodes	2308	1255	1607.96	445.48	18	18

OE <sub>[21]</sub>	1.08	Nematodes	5.76	8.31	3.15	4.95	42	42
OE <sub>[21]</sub>	1.64	Nematodes	4.18	8.31	1.78	4.95	42	42
OE <sub>[22]</sub>	1.32	Nematodes	7178.98	14116.71	28032.7	55219	27	27
OE <sub>[22]</sub>	2.1	Nematodes	19113.84	23850.95	84453.08	102404.68	27	27
OE <sub>[22]</sub>	3.18	Nematodes	11625.24	23850.95	50644.2	118457.08	27	27
OE <sub>[22]</sub>	3.27	Nematodes	11177.31	12089.26	48941.38	61160.77	27	27
OE <sub>[23]</sub>	1.24	Copepods	48	21.16	34.62	46.64	74	74
OE <sub>[23]</sub>	1.06	Copepods	38.13	43.45	39.4	58.66	74	74
OE <sub>[23]</sub>	1.24	Nematodes	2.59	21.65	13.62	193.86	74	74
OE <sub>[23]</sub>	1.06	Nematodes	6.73	41.08	52.37	704.32	74	74
OE <sub>[24]</sub>	1.45	Nematodes	1261.68	219.07	2438.16	358.26	4	4
OE <sub>[24]</sub>	1.49	Nematodes	2018.69	219.07	3195.18	358.26	4	4
OE <sub>[24]</sub>	2.71	Nematodes	2159.9	219.07	1423.66	358.26	4	4
OE <sub>[24]</sub>	3.08	Nematodes	641.21	219.07	280.36	358.26	4	4
OE <sub>[24]</sub>	3.35	Nematodes	2001	219.07	2710.26	358.26	4	4
OE <sub>[24]</sub>	3	Nematodes	860.81	219.07	501.58	358.26	4	4
OE <sub>[24]</sub>	5.1	Nematodes	605.36	219.07	648	358.26	4	4
OE <sub>[24]</sub>	6.33	Nematodes	689.48	219.07	894.08	358.26	4	4
OE <sub>[25]</sub>	1.19	Copepods	33.94	18.49	9.39	6.06	108	108
OE <sub>[26]</sub>	3.7	Nematodes	9.6	2.75	6.64	2.31	3	3
OE <sub>[26]</sub>	1.24	Nematodes	27.45	3.5	17.46	2.74	3	3
OE <sub>[26]</sub>	3	Nematodes	21.04	7.75	16.31	5.19	3	3
OE <sub>[26]</sub>	7.78	Nematodes	26.99	7.5	19.48	4.9	3	3
OE <sub>[26]</sub>	4.04	Nematodes	29.73	2.75	18.18	2.45	3	3
OE <sub>[26]</sub>	6.27	Nematodes	61.76	3.5	37.24	2.74	3	3
OE <sub>[26]</sub>	2.21	Nematodes	9.6	2.75	6.64	2.31	3	3
OE <sub>[26]</sub>	1.97	Nematodes	27.45	3.5	17.46	2.74	3	3
OE <sub>[26]</sub>	1.06	Nematodes	7.75	21.04	5.19	16.31	3	3
OE <sub>[26]</sub>	1.76	Nematodes	26.99	7.5	19.48	4.9	3	3
OE <sub>[26]</sub>	2.68	Nematodes	29.73	2.75	18.18	2.45	3	3
OE <sub>[26]</sub>	1.69	Nematodes	61.76	3.5	37.24	2.74	3	3
OE <sub>[26]</sub>	2.13	Nematodes	9.6	2.75	6.64	2.31	3	3
OE <sub>[26]</sub>	3.19	Nematodes	27.45	3.5	17.46	2.74	3	3
OE <sub>[26]</sub>	1.19	Nematodes	21.04	7.75	16.31	5.19	3	3
OE <sub>[26]</sub>	1.44	Nematodes	26.99	7.5	19.48	4.9	3	3
OE <sub>[26]</sub>	2.63	Nematodes	29.73	2.75	18.18	2.45	3	3
OE <sub>[26]</sub>	2.94	Nematodes	61.76	3.5	37.24	2.74	3	3
OE <sub>[26]</sub>	1.81	Nematodes	9.6	2.75	6.64	2.31	3	3
OE <sub>[26]</sub>	1.17	Nematodes	3.5	27.45	2.74	17.46	3	3
OE <sub>[26]</sub>	1.05	Nematodes	7.75	21.04	5.19	16.31	3	3
OE <sub>[26]</sub>	1.04	Nematodes	7.5	26.99	4.9	19.48	3	3
OE <sub>[26]</sub>	1.22	Nematodes	29.73	2.75	18.18	2.45	3	3
OE <sub>[26]</sub>	1.09	Nematodes	3.5	61.76	2.74	37.24	3	3
OE <sub>[26]</sub>	2.33	Nematodes	2.75	9.6	2.31	6.64	3	3
OE <sub>[26]</sub>	1.08	Nematodes	27.45	3.5	17.46	2.74	3	3
OE <sub>[26]</sub>	1.25	Nematodes	7.75	21.04	5.19	16.31	3	3
OE <sub>[26]</sub>	1.17	Nematodes	26.99	7.5	19.48	4.9	3	3
OE <sub>[26]</sub>	1.62	Nematodes	29.73	2.75	18.18	2.45	3	3
OE <sub>[26]</sub>	1.31	Nematodes	61.76	3.5	37.24	2.74	3	3
OE <sub>[26]</sub>	5.11	Nematodes	4.98	4.98	10.06	10.06	3	3
OE <sub>[26]</sub>	7.43	Nematodes	386.12	2.49	336.54	8.62	3	3
OE <sub>[26]</sub>	12.73	Nematodes	186.83	2.49	145.26	7.19	3	3
OE <sub>[26]</sub>	8.17	Nematodes	47.33	2.49	43.14	7.19	3	3
OE <sub>[26]</sub>	2.75	Nematodes	67.25	2.49	47.46	7.19	3	3
OE <sub>[26]</sub>	2.22	Nematodes	32.38	2.49	27.32	7.19	3	3
OE <sub>[26]</sub>	1.21	Nematodes	4.98	4.98	10.06	10.06	3	3
OE <sub>[26]</sub>	1.97	Nematodes	386.12	2.49	336.54	8.62	3	3
OE <sub>[26]</sub>	2.77	Nematodes	186.83	2.49	145.26	7.19	3	3
OE <sub>[26]</sub>	2.97	Nematodes	47.33	2.49	43.14	7.19	3	3
OE <sub>[26]</sub>	1.57	Nematodes	67.25	2.49	47.46	7.19	3	3
OE <sub>[26]</sub>	1	Nematodes	2.49	32.38	7.19	27.32	3	3
OE <sub>[26]</sub>	2.47	Nematodes	4.98	4.98	10.06	10.06	3	3
OE <sub>[26]</sub>	4.32	Nematodes	386.12	2.49	336.54	8.62	3	3
OE <sub>[26]</sub>	4.2	Nematodes	186.83	2.49	145.26	7.19	3	3

OE <sub>[26]</sub>	3.81	Nematodes	47.33	2.49	43.14	7.19	3	3
OE <sub>[26]</sub>	2.76	Nematodes	67.25	2.49	47.46	7.19	3	3
OE <sub>[26]</sub>	1.61	Nematodes	32.38	2.49	27.32	7.19	3	3
OE <sub>[26]</sub>	1.04	Nematodes	4.98	4.98	10.06	10.06	3	3
OE <sub>[26]</sub>	1.29	Nematodes	386.12	2.49	336.54	8.62	3	3
OE <sub>[26]</sub>	2.25	Nematodes	186.83	2.49	145.26	7.19	3	3
OE <sub>[26]</sub>	2.45	Nematodes	47.33	2.49	43.14	7.19	3	3
OE <sub>[26]</sub>	1.23	Nematodes	67.25	2.49	47.46	7.19	3	3
OE <sub>[26]</sub>	1.33	Nematodes	2.49	32.38	7.19	27.32	3	3
OE <sub>[26]</sub>	1.24	Nematodes	4.98	4.98	10.06	10.06	3	3
OE <sub>[26]</sub>	1.7	Nematodes	386.12	2.49	336.54	8.62	3	3
OE <sub>[26]</sub>	4.06	Nematodes	186.83	2.49	145.26	7.19	3	3
OE <sub>[26]</sub>	3.78	Nematodes	47.33	2.49	43.14	7.19	3	3
OE <sub>[26]</sub>	1.62	Nematodes	67.25	2.49	47.46	7.19	3	3
OE <sub>[26]</sub>	1.14	Nematodes	2.49	32.38	7.19	27.32	3	3
OE <sub>[27]</sub>	1.5	Copepods	216.61	36.87	125.04	17.86	3	3
OE <sub>[27]</sub>	1.3	Copepods	129.74	21.39	89.33	17.85	3	3
OE <sub>[27]</sub>	1.55	Copepods	792.87	184.52	303.53	35.8	3	3
OE <sub>[27]</sub>	1.53	Copepods	116.58	79.61	71.56	35.85	3	3
OE <sub>[27]</sub>	2.98	Copepods	2814.18	297.66	1071.52	71.38	3	3
OE <sub>[27]</sub>	1.71	Copepods	656.1	603.42	195.9	232.28	3	3
OE <sub>[27]</sub>	2.3	Copepods	1391.65	836.82	89.33	321.39	3	3
OE <sub>[27]</sub>	1.5	Nematodes	485.61	233.81	305.75	89.93	3	3
OE <sub>[27]</sub>	1.3	Nematodes	485.61	269.78	161.87	71.94	3	3
OE <sub>[27]</sub>	1.55	Nematodes	1061.15	395.68	377.7	89.93	3	3
OE <sub>[27]</sub>	1.53	Nematodes	521.58	251.79	179.85	71.95	3	3
OE <sub>[27]</sub>	2.98	Nematodes	3471.22	683.45	1294.97	215.83	3	3
OE <sub>[27]</sub>	1.71	Nematodes	935.25	917.26	143.89	215.83	3	3
OE <sub>[27]</sub>	2.3	Nematodes	1564.75	1348.92	71.94	575.54	3	3
OE <sub>[28]</sub>	1.63	Nematodes	1722.86	1664.75	1250.51	725.93	24	16
OE <sub>[28]</sub>	1.13	Nematodes	1722.86	1664.75	1250.51	725.93	24	16
OE <sub>[28]</sub>	1.04	Nematodes	1722.86	1664.75	1250.51	725.93	24	16
OE <sub>[29]</sub>	2.46	Nematodes	400.08	487.99	250.04	388.48	6	6
OE <sub>[29]</sub>	1.74	Nematodes	400.08	487.99	250.04	388.48	6	6
OE <sub>[29]</sub>	3.1	Nematodes	400.08	487.99	250.04	388.48	6	6
OE <sub>[29]</sub>	1.29	Nematodes	326.47	312.74	522.04	438.18	6	6
OE <sub>[29]</sub>	1.61	Nematodes	29.75	312.74	37.18	438.18	6	6
OE <sub>[29]</sub>	1.16	Nematodes	326.47	312.74	522.04	438.18	6	6
OE <sub>[29]</sub>	1.3	Nematodes	29.75	312.74	37.18	438.18	6	6
OE <sub>[29]</sub>	1.63	Nematodes	326.47	312.74	522.04	438.18	6	6
OE <sub>[29]</sub>	1.62	Nematodes	29.75	312.74	37.18	438.18	6	6
OL <sub>[30]</sub>	309.82	Copepods	69.63	53.25	55.15	34.15	8	8
OL <sub>[30]</sub>	309.82	Nematodes	501.88	458.25	176.83	203.98	8	8
OL <sub>[31]</sub>	309.82	Copepods	68.54	57.72	46.49	33.29	9	9
OL <sub>[31]</sub>	309.82	Nematodes	553.81	480.28	232.61	191.97	9	9
OL <sub>[32]</sub>	230.63	Copepods	105.5	307	108.19	38.18	2	2
OL <sub>[32]</sub>	230.63	Nematodes	3845	5089	2887.82	2.83	2	2
OL <sub>[20]</sub>	1.25	Copepods	74	83	84.85	76.37	18	18
OL <sub>[20]</sub>	3	Copepods	74	83	84.85	76.37	18	18
OL <sub>[20]</sub>	1.64	Copepods	74	83	84.85	76.37	18	18
OL <sub>[20]</sub>	1.25	Nematodes	1255	2308	445.48	1607.96	18	18
OL <sub>[20]</sub>	3	Nematodes	1255	2308	445.48	1607.96	18	18
OL <sub>[20]</sub>	1.64	Nematodes	1255	2308	445.48	1607.96	18	18
OL <sub>[15]</sub>	6.66	Nematodes	10.32	24.57	1.71	1.84	3	3
OL <sub>[15]</sub>	8.17	Nematodes	5.32	61.28	0.64	5.45	3	3
OL <sub>[15]</sub>	6.67	Nematodes	12.6	92.46	1.64	5.38	3	3
OL <sub>[15]</sub>	5.58	Nematodes	12.7	95.5	1.08	3.87	3	3
OL <sub>[15]</sub>	7.9	Nematodes	7.56	151.66	1.77	8.61	3	3
OL <sub>[15]</sub>	10.82	Nematodes	5.32	61.28	0.64	5.45	3	3
OL <sub>[23]</sub>	1.15	Copepods	17.25	18.47	38.81	30.26	54	54
OL <sub>[23]</sub>	6.61	Copepods	48	21.16	34.62	46.64	74	74
OL <sub>[23]</sub>	5.9	Copepods	38.13	43.45	39.4	58.66	74	74
OL <sub>[23]</sub>	1.15	Nematodes	25.05	20.11	169.66	89.62	54	54
OL <sub>[23]</sub>	6.61	Nematodes	2.59	21.65	13.62	193.86	74	74

OL <sub>[23]</sub>	5.9	Nematodes	6.73	41.08	52.37	704.32	74	74
OL <sub>[33]</sub>	605.07	Copepods	7.42	18.73	3.08	6.5	5	5
OL <sub>[33]</sub>	2.75	Copepods	20.24	18.73	9.74	6.5	5	5
OL <sub>[33]</sub>	605.07	Nematodes	34.74	78.69	12.22	26.66	5	5
OL <sub>[33]</sub>	2.75	Nematodes	87.43	78.69	32.77	26.66	5	5
OL <sub>[34]</sub>	5.13	Copepods	66	95	93	69.32	9	5
OL <sub>[34]</sub>	4.08	Copepods	66	95	93	69.32	9	5
OL <sub>[34]</sub>	1.39	Copepods	127	95	50	69.32	4	5
OL <sub>[34]</sub>	1.74	Copepods	127	95	50	69.32	4	5
OL <sub>[34]</sub>	5.13	Nematodes	3964	5394	1872	1238.78	9	5
OL <sub>[34]</sub>	4.08	Nematodes	3964	5394	1872	1238.78	9	5
OL <sub>[34]</sub>	1.39	Nematodes	5546	5394	960	1238.78	4	5
OL <sub>[34]</sub>	1.74	Nematodes	5546	5394	960	1238.78	4	5
OL <sub>[35]</sub>	2.69	Nematodes	1965.39	2153.92	549.15	755.72	8	8
OL <sub>[35]</sub>	13.37	Nematodes	1854.63	3123.46	472.1	697.44	8	8
OL <sub>[35]</sub>	6.15	Nematodes	1193.99	1015.49	441.18	392.97	8	8
OL <sub>[36]</sub>	111.56	Copepods	151.53	120.08	135.9	57.23	3	4
OL <sub>[36]</sub>	1.61	Copepods	171.58	120.08	82.03	57.23	4	4
OL <sub>[36]</sub>	111.56	Nematodes	312.9	738.03	130.71	430.61	3	4
OL <sub>[36]</sub>	1.61	Nematodes	1358.55	738.03	337.83	430.61	4	4
OL <sub>[37]</sub>	14.73	Copepods	34.27	36.81	8.09	10.49	24	24
OL <sub>[37]</sub>	14.73	Nematodes	505.56	1066.08	33.13	79.22	24	24
OL <sub>[27]</sub>	1.46	Copepods	216.61	36.87	125.04	17.86	3	3
OL <sub>[27]</sub>	1.48	Copepods	129.74	21.39	89.33	17.85	3	3
OL <sub>[27]</sub>	1.65	Copepods	184.52	792.87	35.8	303.53	3	3
OL <sub>[27]</sub>	2.74	Copepods	116.58	79.61	71.56	35.85	3	3
OL <sub>[27]</sub>	2.41	Copepods	2814.18	297.66	1071.52	71.38	3	3
OL <sub>[27]</sub>	3.32	Copepods	656.1	603.42	195.9	232.28	3	3
OL <sub>[27]</sub>	2.02	Copepods	1391.65	836.82	89.33	321.39	3	3
OL <sub>[27]</sub>	1.46	Nematodes	485.61	233.81	305.75	89.93	3	3
OL <sub>[27]</sub>	1.48	Nematodes	485.61	269.78	161.87	71.94	3	3
OL <sub>[27]</sub>	1.65	Nematodes	395.68	1061.15	89.93	377.7	3	3
OL <sub>[27]</sub>	2.74	Nematodes	521.58	251.79	179.85	71.95	3	3
OL <sub>[27]</sub>	2.41	Nematodes	3471.22	683.45	1294.97	215.83	3	3
OL <sub>[27]</sub>	3.32	Nematodes	935.25	917.26	143.89	215.83	3	3
OL <sub>[27]</sub>	2.02	Nematodes	1564.75	1348.92	71.94	575.54	3	3
HM <sub>[38]</sub>	2.27	Copepods	88.34	143.59	72.13	182.19	5	5
HM <sub>[38]</sub>	1.81	Copepods	22.32	143.59	26.18	182.19	5	5
HM <sub>[38]</sub>	9.22	Copepods	26.55	143.59	32.06	182.19	5	5
HM <sub>[38]</sub>	1.31	Copepods	152.59	143.59	163.5	182.19	5	5
HM <sub>[38]</sub>	1.66	Copepods	307.36	143.59	187.01	182.19	5	5
HM <sub>[38]</sub>	2.27	Nematodes	102.69	594.62	146.67	497.7	5	5
HM <sub>[38]</sub>	1.81	Nematodes	58.06	594.62	27.65	497.7	5	5
HM <sub>[38]</sub>	9.22	Nematodes	160.22	594.62	85.36	497.7	5	5
HM <sub>[38]</sub>	24.67	Nematodes	59.68	594.62	93.77	497.7	5	5
HM <sub>[38]</sub>	15.22	Nematodes	14.52	594.62	21.64	497.7	5	5
HM <sub>[38]</sub>	20.29	Nematodes	116.13	594.62	140.66	497.7	5	5
HM <sub>[38]</sub>	1.31	Nematodes	223.66	594.62	277.7	497.7	5	5
HM <sub>[38]</sub>	1.66	Nematodes	396.77	594.62	194.75	497.7	5	5
HM <sub>[20]</sub>	1.59	Copepods	83	74	76.37	84.85	18	18
HM <sub>[20]</sub>	1.3	Copepods	74	83	84.85	76.37	18	18
HM <sub>[20]</sub>	1.23	Copepods	83	74	76.37	84.85	18	18
HM <sub>[20]</sub>	9.2	Copepods	74	83	84.85	76.37	18	18
HM <sub>[20]</sub>	6	Copepods	74	83	84.85	76.37	18	18
HM <sub>[20]</sub>	1.84	Copepods	74	83	84.85	76.37	18	18
HM <sub>[20]</sub>	1.59	Nematodes	2308	1255	1607.96	445.48	18	18
HM <sub>[20]</sub>	1.3	Nematodes	1255	2308	445.48	1607.96	18	18
HM <sub>[20]</sub>	1.23	Nematodes	2308	1255	1607.96	445.48	18	18
HM <sub>[20]</sub>	9.2	Nematodes	1255	2308	445.48	1607.96	18	18
HM <sub>[20]</sub>	6	Nematodes	1255	2308	445.48	1607.96	18	18
HM <sub>[20]</sub>	1.84	Nematodes	1255	2308	445.48	1607.96	18	18
HM <sub>[36]</sub>	1.04	Copepods	120.08	171.58	57.23	82.03	4	4
HM <sub>[36]</sub>	1.24	Copepods	120.08	171.58	57.23	82.03	4	4
HM <sub>[36]</sub>	1.49	Copepods	120.08	171.58	57.23	82.03	4	4



HM <sub>[36]</sub>	1.33	Copepods	120.08	171.58	57.23	82.03	4	4
HM <sub>[36]</sub>	2.15	Copepods	171.58	120.08	82.03	57.23	4	4
HM <sub>[36]</sub>	1.28	Copepods	171.58	120.08	82.03	57.23	4	4
HM <sub>[36]</sub>	1.51	Copepods	171.58	120.08	82.03	57.23	4	4
HM <sub>[36]</sub>	1.04	Nematodes	738.03	1358.55	430.61	337.83	4	4
HM <sub>[36]</sub>	1.24	Nematodes	738.03	1358.55	430.61	337.83	4	4
HM <sub>[36]</sub>	1.49	Nematodes	738.03	1358.55	430.61	337.83	4	4
HM <sub>[36]</sub>	1.33	Nematodes	738.03	1358.55	430.61	337.83	4	4
HM <sub>[36]</sub>	2.15	Nematodes	1358.55	738.03	337.83	430.61	4	4
HM <sub>[36]</sub>	1.28	Nematodes	1358.55	738.03	337.83	430.61	4	4
HM <sub>[36]</sub>	1.51	Nematodes	1358.55	738.03	337.83	430.61	4	4
HM <sub>[29]</sub>	2.68	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	1.92	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	3.33	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	1.9	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	1.78	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	5.33	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	1.79	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	2.01	Nematodes	400.08	487.99	250.04	388.48	6	6
HM <sub>[29]</sub>	1.63	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	1.73	Nematodes	29.75	312.74	37.18	438.18	6	6
HM <sub>[29]</sub>	1.42	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	1.48	Nematodes	29.75	312.74	37.18	438.18	6	6
HM <sub>[29]</sub>	2.82	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	2.24	Nematodes	29.75	312.74	37.18	438.18	6	6
HM <sub>[29]</sub>	1.03	Nematodes	312.74	29.75	438.18	37.18	6	6
HM <sub>[29]</sub>	1.23	Nematodes	326.47	29.75	522.04	37.18	6	6
HM <sub>[29]</sub>	1.16	Nematodes	312.74	29.75	438.18	37.18	6	6
HM <sub>[29]</sub>	1.32	Nematodes	326.47	29.75	522.04	37.18	6	6
HM <sub>[29]</sub>	2.56	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	1.55	Nematodes	29.75	312.74	37.18	438.18	6	6
HM <sub>[29]</sub>	1.21	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	1.03	Nematodes	29.75	312.74	37.18	438.18	6	6
HM <sub>[29]</sub>	1.21	Nematodes	326.47	312.74	522.04	438.18	6	6
HM <sub>[29]</sub>	1.05	Nematodes	29.75	312.74	37.18	438.18	6	6
OE <sub>[1]</sub>	3.23	Index	3.77	10	1.08	3.9	3	3
OE <sub>[1]</sub>	9.61	Index	3.77	10	1.08	3.9	3	3
OE <sub>[1]</sub>	4.55	Index	3.77	10	1.08	3.9	3	3
OE <sub>[1]</sub>	48.2	Index	3.77	10	1.08	3.9	3	3
OE <sub>[1]</sub>	2.02	Index	3.77	4.17	1.08	0.8	3	3
OE <sub>[1]</sub>	4.03	Index	3.77	4.17	1.08	0.8	3	3
OE <sub>[1]</sub>	1.6	Index	3.77	4.17	1.08	0.8	3	3
OE <sub>[1]</sub>	9.46	Index	3.77	4.17	1.08	0.8	3	3
OE <sub>[3]</sub>	1.85	Index	7.2	19.7	10.03	14.34	7	6
OE <sub>[3]</sub>	1.18	Index	7.2	44.69	10.03	37.24	7	6
OE <sub>[6]</sub>	3.25	Index	9.01	13.13	2.39	1.6	2	2
OE <sub>[6]</sub>	1.09	Index	13.13	9.01	1.6	2.39	2	2
OE <sub>[6]</sub>	2.74	Index	4.68	9.24	0.78	6.02	2	2
OE <sub>[6]</sub>	2.27	Index	9.24	4.68	6.02	0.78	2	2
OE <sub>[6]</sub>	1.85	Index	21.58	14.85	3.8	7.99	2	2
OE <sub>[6]</sub>	1.19	Index	21.58	14.85	3.8	7.99	2	2
OE <sub>[6]</sub>	1.33	Index	2.38	3.58	0.85	0.19	2	2
OE <sub>[6]</sub>	1.02	Index	3.58	2.38	0.19	0.85	2	2
OE <sub>[6]</sub>	3.69	Index	4.39	7.64	1.48	0.38	2	2
OE <sub>[6]</sub>	1.03	Index	7.64	4.39	0.38	1.48	2	2
OE <sub>[6]</sub>	2.09	Index	6.75	7.68	2.76	3.79	2	2
OE <sub>[6]</sub>	1.002	Index	6.75	7.68	2.76	3.79	2	2
OE <sub>[6]</sub>	1.26	Index	8.68	7.7	1.29	3	2	2
OE <sub>[6]</sub>	1.02	Index	8.68	7.7	1.29	3	2	2
OE <sub>[18]</sub>	1.09	Index	8.75	10.95	5.56	7.59	4	4
OE <sub>[18]</sub>	1.91	Index	2.92	10.95	1.05	7.59	4	4
OE <sub>[18]</sub>	1.74	Index	2.46	10.95	1.12	7.59	4	4
OE <sub>[20]</sub>	1.6	Index	3.59	3.16	2.67	3.61	18	18
OE <sub>[20]</sub>	1.6	Index	3.17	3.16	3.9	3.61	18	18

OE <sub>[20]</sub>	1.8	Index	4.07	3.16	3.48	3.61	18	18
OE <sub>[39]</sub>	1.09	Index	25.56	72.41	12.91	37.1	17	8
OE <sub>[39]</sub>	1.2	Index	14.63	72.41	5.44	37.1	13	8
OE <sub>[39]</sub>	1.43	Index	9.06	72.41	3.65	37.1	16	8
OE <sub>[39]</sub>	1.55	Index	5.6	72.41	2	37.1	7	8
OE <sub>[40]</sub>	1.41	Index	0.67	4.49	0.31	4.63	25	25
OE <sub>[40]</sub>	1.61	Index	0.61	4.49	0.78	4.63	25	25
OE <sub>[40]</sub>	1.33	Index	4.49	0.67	4.63	0.31	25	25
OE <sub>[40]</sub>	1.33	Index	0.61	0.67	0.78	0.31	25	25
OE <sub>[40]</sub>	1.38	Index	4.49	0.67	4.63	0.31	25	25
OE <sub>[40]</sub>	1.1	Index	0.61	0.67	0.78	0.31	25	25
OE <sub>[41]</sub>	5.39	Index	2.24	15.43	0.71	2.65	3	3
OE <sub>[41]</sub>	6.32	Index	4.87	15.43	4.15	2.65	3	3
OE <sub>[41]</sub>	6.32	Index	0.25	15.43	0.12	2.65	3	3
OE <sub>[41]</sub>	5.74	Index	7.34	15.43	4.41	2.65	3	3
OE <sub>[41]</sub>	11.05	Index	7.79	15.43	3.51	2.65	3	3
OE <sub>[41]</sub>	4.92	Index	0.58	15.43	0.04	2.65	3	3
OE <sub>[41]</sub>	5.34	Index	0.5	15.43	0.22	2.65	3	3
OE <sub>[41]</sub>	4.95	Index	1.25	15.43	1.29	2.65	3	3
OE <sub>[41]</sub>	3.55	Index	0.89	15.43	0.18	2.65	3	3
OE <sub>[41]</sub>	3.29	Index	25.03	15.43	13.66	2.65	3	3
OE <sub>[41]</sub>	4.79	Index	21.92	15.43	3.42	2.65	3	3
OE <sub>[41]</sub>	4.82	Index	0.65	15.43	0.26	2.65	3	3
OE <sub>[41]</sub>	7.03	Index	2.36	15.43	0.35	2.65	3	3
OE <sub>[41]</sub>	7.16	Index	0.57	15.43	0.3	2.65	3	3
OE <sub>[41]</sub>	5.79	Index	1.62	15.43	1.38	2.65	3	3
OE <sub>[41]</sub>	4.74	Index	12.91	15.43	4.36	2.65	3	3
OE <sub>[41]</sub>	5.53	Index	30.31	15.43	25.07	2.65	3	3
OE <sub>[41]</sub>	3.82	Index	0.57	15.43	0.29	2.65	3	3
OE <sub>[41]</sub>	4.21	Index	0.93	15.43	0.66	2.65	3	3
OE <sub>[41]</sub>	5.03	Index	0.6	15.43	0.1	2.65	3	3
OE <sub>[41]</sub>	4.34	Index	0.35	15.43	0.02	2.65	3	3
OE <sub>[41]</sub>	3.34	Index	0.52	15.43	0.3	2.65	3	3
OE <sub>[41]</sub>	4.47	Index	0.55	15.43	0.3	2.65	3	3
OE <sub>[41]</sub>	1.65	Index	0.5	15.43	0.15	2.65	3	3
OE <sub>[41]</sub>	5.34	Index	13.19	15.43	6.07	2.65	3	3
OE <sub>[41]</sub>	4.13	Index	4.73	15.43	0.96	2.65	3	3
OE <sub>[41]</sub>	7.97	Index	20.62	15.43	16.46	2.65	3	3
OE <sub>[41]</sub>	4.47	Index	20.59	15.43	11.42	2.65	3	3
OE <sub>[41]</sub>	5.74	Index	16.46	15.43	3.44	2.65	3	3
OE <sub>[41]</sub>	4.26	Index	6.42	15.43	3.41	2.65	3	3
OE <sub>[41]</sub>	1.84	Index	2.79	15.43	1.08	2.65	3	3
OE <sub>[41]</sub>	5.61	Index	1.36	15.43	0.48	2.65	3	3
OE <sub>[41]</sub>	6.05	Index	57.05	15.43	17.68	2.65	3	3
OE <sub>[41]</sub>	4.87	Index	13.65	15.43	12.57	2.65	3	3
OE <sub>[41]</sub>	6.13	Index	12.28	15.43	6.35	2.65	3	3
OE <sub>[41]</sub>	5.79	Index	6.44	15.43	3.85	2.65	3	3
OE <sub>[41]</sub>	6.58	Index	48.53	15.43	36.7	2.65	3	3
OE <sub>[42]</sub>	1.37	Index	622.11	2.63	336.64	0.77	3	3
OE <sub>[42]</sub>	1.15	Index	345.9	7.68	25.99	6.36	3	3
OE <sub>[42]</sub>	1.14	Index	0.62	1.34	0.23	0.54	3	3
OE <sub>[43]</sub>	4.25	Index	10.65	4.75	0.49	0.21	2	2
OE <sub>[43]</sub>	2.83	Index	9.3	4.75	1.35	0.21	2	2
OE <sub>[43]</sub>	2.83	Index	10.65	4.75	0.49	0.21	2	2
OE <sub>[43]</sub>	5.78	Index	9.3	4.75	1.35	0.21	2	2
OE <sub>[44]</sub>	1.62	Index	4.5	8.25	2.12	2.22	2	4
OE <sub>[44]</sub>	49.23	Index	17	8.25	20.07	2.22	4	4
OE <sub>[44]</sub>	106.92	Index	223.5	8.25	146.2	2.22	4	4
OE <sub>[44]</sub>	103.08	Index	522.75	8.25	295.96	2.22	4	4
OE <sub>[44]</sub>	1.25	Index	8.25	17	2.22	20.07	4	4
OE <sub>[44]</sub>	1.03	Index	4.5	17	2.12	20.07	2	4
OE <sub>[44]</sub>	3.33	Index	223.5	17	146.2	20.07	4	4
OE <sub>[44]</sub>	2.78	Index	522.75	17	295.96	20.07	4	4
OE <sub>[45]</sub>	1.2	Index	20.72	14.89	10.59	6.67	3	3

OE <sub>[45]</sub>	1.17	Index	13.83	14.89	3.47	6.67	3	3
OE <sub>[45]</sub>	1.02	Index	15.5	14.89	0.5	6.67	3	3
OE <sub>[45]</sub>	1.09	Index	7.28	14.89	2.53	6.67	3	3
OE <sub>[45]</sub>	1.12	Index	8.18	7.94	5.32	3.15	3	3
OE <sub>[45]</sub>	1.05	Index	7.33	7.94	4.33	3.15	3	3
OE <sub>[45]</sub>	1.54	Index	20.72	14.89	10.59	6.67	3	3
OE <sub>[45]</sub>	2.53	Index	13.83	14.89	3.47	6.67	3	3
OE <sub>[45]</sub>	2.08	Index	15.5	14.89	0.5	6.67	3	3
OE <sub>[45]</sub>	1.91	Index	7.28	14.89	2.53	6.67	3	3
OE <sub>[45]</sub>	1.02	Index	8.18	7.33	5.35	4.33	3	3
OE <sub>[45]</sub>	1.01	Index	7.94	7.33	3.15	4.33	3	3
OL <sub>[46]</sub>	23.86	Index	48	88.5	34.51	111.02	3	2
OL <sub>[46]</sub>	1.36	Index	33	88.5	41.01	111.02	2	2
OL <sub>[20]</sub>	1.25	Index	3.16	3.59	3.61	2.67	18	18
OL <sub>[20]</sub>	1.08	Index	4.07	3.59	3.48	2.67	18	18
OL <sub>[20]</sub>	1.27	Index	3.17	3.59	3.9	2.67	18	18
OL <sub>[20]</sub>	3	Index	3.16	3.59	3.61	2.67	18	18
OL <sub>[20]</sub>	1.5	Index	4.07	3.59	3.48	2.67	18	18
OL <sub>[20]</sub>	1.64	Index	3.16	3.59	3.61	2.67	18	18
OL <sub>[20]</sub>	1.52	Index	4.07	3.59	3.48	2.67	18	18
OL <sub>[20]</sub>	1.09	Index	3.17	3.59	3.9	2.67	18	18
OL <sub>[39]</sub>	282.48	Index	72.41	5.6	37.1	2	8	7
OL <sub>[39]</sub>	40.87	Index	25.56	5.6	12.91	2	14	7
OL <sub>[39]</sub>	5.7	Index	14.63	5.6	5.44	2	13	7
OL <sub>[39]</sub>	2.26	Index	9.06	5.6	3.65	2	16	7
OL <sub>[39]</sub>	371.4	Index	72.41	5.6	37.1	2	8	7
OL <sub>[39]</sub>	50.52	Index	25.56	5.6	12.91	2	14	7
OL <sub>[39]</sub>	18.05	Index	14.63	5.6	5.44	2	13	7
OL <sub>[39]</sub>	4.35	Index	9.06	5.6	3.65	2	16	7
OL <sub>[36]</sub>	111.56	Index	3.47	8.08	2.63	3.82	3	4
OL <sub>[36]</sub>	1.61	Index	15.58	8.08	7.98	3.82	4	4
HM <sub>[20]</sub>	1.59	Index	3.59	3.16	2.67	3.61	18	18
HM <sub>[20]</sub>	1.69	Index	3.17	3.16	3.9	3.61	18	18
HM <sub>[20]</sub>	1.67	Index	4.07	3.16	3.48	3.61	18	18
HM <sub>[20]</sub>	1.99	Index	3.16	3.17	3.61	3.9	18	18
HM <sub>[20]</sub>	2.27	Index	4.07	3.17	3.48	3.9	18	18
HM <sub>[20]</sub>	1.53	Index	3.59	3.17	2.67	3.9	18	18
HM <sub>[20]</sub>	1.23	Index	3.59	3.16	2.67	3.61	18	18
HM <sub>[20]</sub>	1.39	Index	3.17	3.16	3.9	3.61	18	18
HM <sub>[20]</sub>	1.38	Index	4.07	3.16	3.48	3.61	18	18
HM <sub>[20]</sub>	9.6	Index	3.16	3.17	3.61	3.9	18	18
HM <sub>[20]</sub>	1.13	Index	4.07	3.17	3.48	3.9	18	18
HM <sub>[20]</sub>	1.04	Index	3.59	3.17	2.67	3.9	18	18
HM <sub>[20]</sub>	6	Index	3.16	3.59	3.61	2.67	18	18
HM <sub>[20]</sub>	3	Index	4.07	3.59	3.48	2.67	18	18
HM <sub>[20]</sub>	1.84	Index	3.16	3.59	3.61	2.67	18	18
HM <sub>[20]</sub>	1.09	Index	4.07	3.59	3.48	2.67	18	18
HM <sub>[20]</sub>	1.04	Index	3.17	3.59	3.9	2.67	18	18
HM <sub>[39]</sub>	1.02	Index	72.41	9.06	37.1	3.65	8	16
HM <sub>[39]</sub>	1.12	Index	25.56	9.06	12.91	3.65	14	16
HM <sub>[39]</sub>	1.03	Index	14.63	9.06	5.44	3.65	13	16
HM <sub>[39]</sub>	1.08	Index	5.6	9.06	2	3.65	7	16
HM <sub>[39]</sub>	11.44	Index	72.41	5.6	37.1	2	8	7
HM <sub>[39]</sub>	1.54	Index	25.56	5.6	12.91	2	14	7
HM <sub>[39]</sub>	1.82	Index	14.63	9.06	5.44	2	13	7
HM <sub>[39]</sub>	1.19	Index	9.06	9.06	3.65	2	16	7
HM <sub>[39]</sub>	1.03	Index	72.41	9.06	37.1	3.65	8	16
HM <sub>[39]</sub>	1.13	Index	25.56	9.06	12.91	3.65	14	16
HM <sub>[39]</sub>	1.04	Index	14.63	9.06	5.44	3.65	13	16
HM <sub>[39]</sub>	1.07	Index	5.6	9.06	2	3.65	7	16
HM <sub>[39]</sub>	1.1	Index	72.41	9.06	37.1	3.65	8	16
HM <sub>[39]</sub>	1.24	Index	25.56	9.06	12.91	3.65	14	16
HM <sub>[39]</sub>	1.14	Index	14.63	9.06	5.44	3.65	13	16
HM <sub>[39]</sub>	1.18	Index	5.6	9.06	2	3.65	7	16

HM <sub>[39]</sub>	1.18	Index	72.41	9.06	37.1	3.65	8	16
HM <sub>[39]</sub>	1.17	Index	25.56	9.06	12.91	3.65	14	16
HM <sub>[39]</sub>	1.08	Index	14.63	9.06	5.44	3.65	13	16
HM <sub>[39]</sub>	1.06	Index	5.6	9.06	2	3.65	7	16
HM <sub>[36]</sub>	1.04	Index	8.08	15.58	3.82	7.98	4	4
HM <sub>[36]</sub>	1.24	Index	8.08	15.58	3.82	7.98	4	4
HM <sub>[36]</sub>	1.49	Index	8.08	15.58	3.82	7.98	4	4
HM <sub>[36]</sub>	1.35	Index	8.08	15.58	3.82	7.98	4	4
HM <sub>[36]</sub>	2.15	Index	15.58	8.08	7.98	3.82	4	4
HM <sub>[36]</sub>	1.27	Index	15.58	8.08	7.98	3.82	4	4
HM <sub>[36]</sub>	1.51	Index	15.58	8.08	7.98	3.82	4	4
HM <sub>[40]</sub>	1.24	Index	0.67	4.49	0.31	4.63	25	25
HM <sub>[40]</sub>	1.02	Index	0.67	4.49	0.31	4.63	25	25
HM <sub>[40]</sub>	1.07	Index	0.61	4.49	0.78	4.63	25	25
HM <sub>[40]</sub>	1.1	Index	4.49	0.67	4.63	0.31	25	25
HM <sub>[40]</sub>	1.1	Index	0.61	0.67	0.78	0.31	25	25
HM <sub>[40]</sub>	1.08	Index	0.67	4.49	0.31	4.62	25	25
HM <sub>[40]</sub>	1.08	Index	0.61	4.49	0.78	4.63	25	25
HM <sub>[40]</sub>	1.07	Index	0.67	0.61	0.31	0.78	25	25
HM <sub>[40]</sub>	1.02	Index	4.49	0.61	4.63	0.78	25	25
HM <sub>[40]</sub>	1.38	Index	0.67	4.49	0.31	4.63	25	25
HM <sub>[40]</sub>	1.48	Index	0.61	4.49	0.78	4.63	25	25
OL <sub>[47]</sub>	282.48	Index	5.6	72.41	2	37.1	7	8

- [1] Ansari, A.Z., Chatterji, A., Parulekar, A.H., 1984. Effect of domestic sewage on sand beach meiofauna at Goa, India. *Hydrobiologia* 111, 229–233. <https://doi.org/10.1007/BF00007203>
- [2] Bertocci, I., Dell’Anno, A., Musco, L., Gambi, C., Saggiomo, V., Cannavacciuolo, M., Lo Martire, M., Passarelli, A., Zazo, G., Danovaro, R., 2019. Multiple human pressures in coastal habitats: variation of meiofaunal assemblages associated with sewage discharge in a post-industrial area. *Sci. Total Environ.* 655, 1218–1231. <https://doi.org/10.1016/j.scitotenv.2018.11.121>
- [3] Bodin, P., 1988. Results of ecological monitoring of three beaches polluted by the “Amoco Cadiz” oil spill: development of meiofauna from 1978 to 1984. *Mar. Ecol. Prog. Ser.* 42, 105–123. <https://doi.org/10.3354/meps042105>
- [4] Bohórquez, J., Papaspyrou, S., Yúfera, M., van Bergeijk, S.A., García-Robledo, E., Jiménez-Arias, J.L., Bright, M., Corzo, A., 2013. Effects of green macroalgal blooms on the meiofauna community structure in the Bay of Cádiz. *Mar. Pollut. Bull.* 70, 10–17. <https://doi.org/10.1016/j.marpolbul.2013.02.002>
- [5] Covazzi Harriague, A., Albertelli, G., Misić, C., 2012. Macro- and meiofaunal community features in the critical environmental system of a tourist harbour (Rapallo, Ligurian Sea, NW Mediterranean). *Mar. Environ. Res.* 74, 64–72. <https://doi.org/10.1016/j.marenvres.2011.12.005>
- [6] Dal Zotto, M., Santulli, A., Simonini, R., Todaro, M.A., 2016. Organic enrichment effects on a marine meiofauna community, with focus on Kinorhyncha. *Zool. Anz.* 265, 127–140. <https://doi.org/10.1016/j.jcz.2016.03.013>
- [7] Frontalini, F., Semprucci, F., Coccioni, R., Balsamo, M., Bittoni, P., Covazzi-Harriague, A., 2011. On the quantitative distribution and community structure of the meio and macrofaunal communities in the coastal area of the Central Adriatic Sea (Italy). *Environ. Monit. Assess.* 180, 325–344. <https://doi.org/10.1007/s10661-010-1791-y>
- [8] Ghosh, M., Mandal, S., Chatterjee, M., 2018. Impact of unusual monsoonal rainfall in structuring meiobenthic assemblages at Sundarban estuarine system, India. *Ecol. Indic.* 94, 139–150. <https://doi.org/10.1016/j.ecolind.2018.06.067>

- [9] Grego, M., De Troch, M., Forte, J., Malej, A., 2009. Main meiofauna taxa as an indicator for assessing the spatial and seasonal impact of fish farming. *Mar. Pollut. Bull.* 58, 1178–1186. <https://doi.org/10.1016/j.marpolbul.2009.03.020>
- [10] Ingels, J., Tchesunov, A.V., Vanreusel, A., 2011. Meiofauna in the Gollum Channels and the Whittard Canyon, Celtic Margin—How Local Environmental Conditions Shape Nematode Structure and Function. *PLoS One* 6, e20094. <https://doi.org/10.1371/journal.pone.0020094>
- [11] Kim, H., Rho, H.S., Oh, C.-W., 2013. Seasonal and spatial variations in Nematode assemblages affected by thermal influence of nuclear power plant in Korea (East Sea, Pacific Ocean). *Mar. Biol. Res.* 9, 725–738. <https://doi.org/10.1080/17451000.2013.766346>
- [12] Liu, X.-S., Cheung, S.G., Shin, P.K.S., 2009. Meiofauna with special reference to nematodes in trawling ground of subtropical Hong Kong. *Mar. Pollut. Bull.* 58, 607–615. <https://doi.org/10.1016/j.marpolbul.2009.01.002>
- [13] Liu, X.-S., Xu, W.-Z., Cheung, S.G., Shin, P.K.S., 2011a. Marine meiobenthic and nematode community structure in Victoria Harbour, Hong Kong upon recovery from sewage pollution. *Mar. Pollut. Bull.* 63, 318–325. <https://doi.org/10.1016/j.marpolbul.2011.03.027>
- [14] Liu, X.-S., Xu, W.-Z., Cheung, S.G., Shin, P.K.S., 2011b. Response of meiofaunal community with special reference to nematodes upon deployment of artificial reefs and cessation of bottom trawling in subtropical waters, Hong Kong. *Mar. Pollut. Bull.* 63, 376–384. <https://doi.org/10.1016/j.marpolbul.2010.11.019>
- [15] Lv, Y., Zhang, W., Gao, Y., Ning, S., Yang, B., 2011. Preliminary study on responses of marine nematode community to crude oil contamination in intertidal zone of Bathing Beach, Dalian. *Mar. Pollut. Bull.* 62, 2700–2706. <https://doi.org/10.1016/j.marpolbul.2011.09.018>
- [16] Mazzola, A., Mirto, S., Danovaro, R., 1999. Initial Fish-Farm Impact on Meiofaunal Assemblages in Coastal Sediments of the Western Mediterranean. *Mar. Pollut. Bull.* 38, 1126–1133. [https://doi.org/10.1016/S0025-326X\(99\)00142-3](https://doi.org/10.1016/S0025-326X(99)00142-3)
- [17] Mirto, S., La Rosa, T., Gambi, C., Danovaro, R., Mazzola, A., 2002. Nematode community response to fish-farm impact in the western Mediterranean. *Environ. Pollut.* 116, 203–214. [https://doi.org/10.1016/S0269-7491\(01\)00140-3](https://doi.org/10.1016/S0269-7491(01)00140-3)
- [18] Mirto, S., Gristina, M., Sinopoli, M., Maricchiolo, G., Genovese, L., Vizzini, S., Mazzola, A., 2012. Meiofauna as an indicator for assessing the impact of fish farming at an exposed marine site. *Ecol. Indic.* 18, 468–476. <https://doi.org/10.1016/j.ecolind.2011.12.015>
- [19] Mirto, S., Arigò, C., Genovese, L., Pusceddu, A., Gambi, C., Danovaro, R., 2014. Nematode assemblage response to fish-farm impact in vegetated (*Posidonia oceanica*) and non-vegetated habitats. *Aquac. Environ. Interact.* 5, 17–28. <https://doi.org/10.3354/aei00091>
- [20] Montagna, P.A., Jarvis, S.C., Kennicutt, II, M.C., 2002. Distinguishing between contaminant and reef effects on meiofauna near offshore hydrocarbon platforms in the Gulf of Mexico. *Can. J. Fish. Aquat. Sci.* 59, 1584–1592. <https://doi.org/10.1139/f02-131>
- [21] Morad, T.Y., Dubinsky, Z., Iluz, D., 2017. Meiobenthos Assemblages as Bioindicators for Coastal Pollution Assessment. *Open J. Mar. Sci.* 07, 409–423. <https://doi.org/10.4236/ojms.2017.73028>
- [22] Netto, S.A., Valgas, I., 2010. The response of nematode assemblages to intensive mussel farming in coastal sediments (Southern Brazil). *Environ. Monit. Assess.* 162, 81–93. <https://doi.org/10.1007/s10661-009-0777-0>
- [23] Netto, S.A., Fonseca, G., Gallucci, F., 2010. Effects of drill cuttings discharge on meiofauna communities of a shelf break site in the southwest Atlantic. *Environ. Monit. Assess.* 167, 49–63. <https://doi.org/10.1007/s10661-010-1515-3>

- [24] Portnova, D., Fedyeva, M.A., Udalov, A.A., Tchesunov, A. V., 2019. Community structure of nematodes in the Laptev Sea shelf with notes on the lives of ice nematodes. *Reg. Stud. Mar. Sci.* 31, 100757. <https://doi.org/10.1016/j.rsma.2019.100757>
- [25] Riera, R., Monterroso, Ó., Rodríguez, M., Ramos, E., Sacramento, A., 2011. Six-year study of meiofaunal dynamics in fish farms in Tenerife (Canary Islands, NE Atlantic Ocean). *Aquat. Ecol.* 45, 221–229. <https://doi.org/10.1007/s10452-010-9348-2>
- [26] Urbina, M.A., 2016. Temporal variation on environmental variables and pollution indicators in marine sediments under sea Salmon farming cages in protected and exposed zones in the Chilean inland Southern Sea. *Sci. Total Environ.* 573, 841–853. <https://doi.org/10.1016/j.scitotenv.2016.08.166>
- [27] Veiga, P., Rubal, M., Besteiro, C., 2009. Shallow sublittoral meiofauna communities and sediment polycyclic aromatic hydrocarbons (PAHs) content on the Galician coast (NW Spain), six months after the Prestige oil spill. *Mar. Pollut. Bull.* 58, 581–588. <https://doi.org/10.1016/j.marpolbul.2008.11.002>
- [28] Venekey, V., Melo, T.P.G. de, 2016. Nematodes as indicators of shrimp farm impact on an amazonian estuary (Curuçá, Pará, Brazil). *Brazilian J. Oceanogr.* 64, 75–87. <https://doi.org/10.1590/S1679-87592016108206401>
- [29] Xu, W.Z., Cheung, S.G., Shin, P.K.S., 2014. Structure and taxonomic composition of free-living nematodes and macrofaunal assemblages in a eutrophic subtropical harbour, Hong Kong. *Mar. Pollut. Bull.* 85, 764–773. <https://doi.org/10.1016/j.marpolbul.2014.01.023>
- [30] DeLaune, R.D., Smith, C.J., Patrick, W.H., Fleeger, J.W., Tolley, M.D., 1984. Effect of oil on salt marsh biota: Methods for restoration. *Environ. Pollut. Ser. A, Ecol. Biol.* 36, 207–227. [https://doi.org/10.1016/0143-1471\(84\)90003-5](https://doi.org/10.1016/0143-1471(84)90003-5)
- [31] Fleeger, J., Chandler, G., 1983. Meiofauna responses to an experimental oil spill in a Louisiana salt marsh. *Mar. Ecol. Prog. Ser.* 11, 257–264. <https://doi.org/10.3354/meps011257>
- [32] McLachlan, A., Harty, B., 1982. Effects of crude oil on the supralittoral meiofauna of a sandy beach. *Mar. Environ. Res.* 7, 71–79. [https://doi.org/10.1016/0141-1136\(82\)90051-4](https://doi.org/10.1016/0141-1136(82)90051-4)
- [33] Ansari, Z.A., Ingole, B., 2002. Effect of an oil spill from MV Sea Transporter on intertidal meiofauna at Goa, India. *Mar. Pollut. Bull.* 44, 396–402. [https://doi.org/10.1016/S0025-326X\(01\)00248-X](https://doi.org/10.1016/S0025-326X(01)00248-X)
- [34] Elmgren, R., Hansson, S., Larsson, U., Sundelin, B., Boehm, P.D., 1983. The “Tsesis” Oil Spill: Acute and Long-Term Impact on the Benthos. *Mar. Biol.* 73, 51–65.
- [35] Leite, D.S., Sandrini-Neto, L., Camargo, M.Z., Thomas, M.C., Lana, P.C., 2014. Are changes in the structure of nematode assemblages reliable indicators of moderate petroleum contamination? *Mar. Pollut. Bull.* 83, 38–47. <https://doi.org/10.1016/j.marpolbul.2014.04.035>
- [36] Moreno, M., Vezzulli, L., Marin, V., Laconi, P., Albertelli, G., Fabiano, M., 2008. The use of meiofauna diversity as an indicator of pollution in harbours. *ICES J. Mar. Sci.* 65, 1428–1435. <https://doi.org/10.1093/icesjms/fsn116>
- [37] Stark, J.S., Mohammad, M., McMinn, A., Ingels, J., 2017. The effects of hydrocarbons on meiofauna in marine sediments in Antarctica. *J. Exp. Mar. Bio. Ecol.* 496, 56–73. <https://doi.org/10.1016/j.jembe.2017.07.009>
- [38] Lee, M.R., Correa, J.A., 2005. Effects of copper mine tailings disposal on littoral meiofaunal assemblages in the Atacama region of northern Chile. *Mar. Environ. Res.* 59, 1–18. <https://doi.org/10.1016/j.marenvres.2004.01.002>
- [39] Montagna, P.A., Baguley, J.G., Cooksey, C., Hartwell, I., Hyde, L.J., Hyland, J.L., Kalke, R.D., Kracker, L.M., Reuscher, M., Rhodes, A.C.E., 2013. Deep-Sea Benthic Footprint of the Deepwater Horizon Blowout. *PLoS ONE* 8, e70540. <https://doi.org/10.1371/journal.pone.0070540>

- [40] Naveed, M.S., Sugumaran, J., Altaff, K. 2009. Impact of pollution on the meiofauna of Chennai coast, Tamilnadu, India. *J. Aqua. Biol.* 24, 209–213.
- [41] Rubal, M., Veiga, P., Besteiro, C. 2009. Nematode/copepod index: importance of sedimentary parameters, sampling methodology and baseline values. *Thalassas* 25, 9–18.
- [42] Semprucci, F., Scbrocca, C., Baldelli, G., Tramontana, M., Balsamo, M. 2016. Is meiofauna a Good indicator of artificial reef impact? *Mar. Biodiv.* 47, 511–520. <https://doi.org/10.1007/s12526-016-0484-3>
- [43] Singh, R., Ingole, B.S. 2016. Structure and function of nematode communities across the Indian western continental margin and its oxygen minimum zone. *Biogeosciences* 13, 191–209. <https://doi.org/10.5194/bg-13-191-2016>
- [44] Sun, X., Zhou, H., Hua, E., Xu, S., Cong, B., Zhang, Z. 2014. Meiofauna and its sedimentary environment as an integrated indication of anthropogenetic disturbance to sandy beach ecosystems. *Mar. Pollut. Bull.* 88, 260–267. <https://doi.org/10.1016/j.marpolbul.2014.08.033>
- [45] Yang, X., Lin, C., Song, X., Xu, M., Yang, H. 2019. Effects of artificial reefs on the meiofaunal community and benthic environment - A case study in Bohai Sea, China. *Mar. Pollut. Bull.* 140, 179–187. <https://10.1016/j.marpolbul.2018.12.031>
- [46] Beyrem H., Aissa, P. 1998. Impact de la pollution pétrolière sur les densités de la méiofaune du littoral de Bizerte (Tunisie). *Vie. Milieu* 48, 183–190.
- [47] Simulated data pair in order to test the existence of publication bias.